



NR810

SELF-PROPELLED SCRUBBER



Robust
design



High
performance



Easy
maintenance


NR810 - PRODUCT OVERVIEW

// Features and benefits

- This scrubber dryer has a compact design with a low centre of gravity, a small turning radius and excellent manoeuvrability. This design allows for high productivity and excellent manoeuvrability in tight spaces.
- The integrated buttons are waterproof. The parameters displayed on the LCD screen are easy to read and intuitive during use. The data displayed enables real efficiency during machine maintenance.
- For improved user safety and environmental protection, the NR810 offers customised use with three speed modes and adjustable water flow.
- It is equipped with a protection system against motor overload and battery undervoltage. This extends the service life of the motor and battery.
- ECO mode reduces the power and noise level of the suction motor. This mode makes the NR810 the ideal tool for use in areas with low noise levels, such as hospitals, town halls, secondary schools, etc.
- The design is innovative with electric brush lifting and lowering. The floor nozzle is positioned with a single button. And when reversing, it is automatically lifted.
- On this model, the brush and floor nozzle are automatically assembled and disassembled. Opening the dirty water tank is simplified.
- The large 120-litre capacity of the clean water solution and dirty water recovery tanks reduces the number of refills and emptying operations. An automatic alarm is integrated in case of an empty solution tank and a full recovery tank.
- The wide opening of the recovery tank facilitates access and allows for quick and efficient cleaning by the operator.
- The seat is equipped with an emergency stop and automatic stop technology when the driver leaves the seat.



NR810 - PRODUCT FEATURES



// High-performance battery

Equipped with a powerful, safe and reliable maintenance-free lead battery for long-term use.



// Hygroscopic seal

The wear-resistant adhesive tape, designed in an arc shape, allows to easily scrape and absorb water without leaving any residue.



// Easy water filling and control

The tank water level display and large water injection opening make it easy to add clean water.



// A control panel

The integrated touch panel is waterproof, intuitive and quick to use.



// A steering wheel

The ergonomic steering wheel with a steering wheel knob is very comfortable to use.



// Charging socket

The scrubber dryer has an external socket for easy recharging.



// Powerful, non-slip drive wheel

The front drive wheel is non-slip and high-powered. Its ramp does not tilt, making it safer.



// accessible collection tank

Equipped with a tank that can be opened easily without tools, making it simple to clean and maintain.




Design à double brosse
avec une largeur de nettoyage
jusqu'à : 810mm


NB810 - BUSINESS SECTOR



PVC



Tiles




Terrazzo



Epoxy



Small Tiles



Lime



Marble



Impact-resistant impact



Food industry and beverages



Transport



Warehouses and logistics



Service cleaning



Real estate



Research scientific and healthcare



Sales



Hotel and supermarkets

Depending on the situation, it is recommended to use a brush or pad holder tray:

	Brush			Pad holder tray		
	Soft brush	Nylon	Hard brush	White	Red	Black
Concrete		Applicable	Applicable		Applicable	Applicable
Terrazzo		Applicable	Applicable		Applicable	Applicable
Tiles	Applicable	Applicable			Applicable	
Marble	Applicable	Applicable		Applicable	Applicable	
Plastic	Applicable			Applicable	Applicable	
Rubber	Applicable			Applicable		

Notes:

- 1. Soft brush: for cleaning and polishing smooth surfaces.
- 2. Nylon brush: for general floor cleaning (integrated configuration)
- 3. Hard brush: for removing stubborn dirt from hard floors
- 4. Pad holder: to hold coloured pads and reduce floor wear

Depending on the different floor conditions, different coloured pads should be chosen. The darker the colour, the greater the friction on the floor.

Pad application conditions:

- White pad: for general cleaning and polishing of marble and smooth floors.
- Red pad: for general cleaning of all types of flooring
- Black pad: for removing stubborn stains from hard floors

Applications for the rubber scraper strip:

	Rubber	Polyurethane
Concrete	Applicable	Applicable
Terrazzo	Applicable	Applicable
Tiles	Applicable	
Marble	Applicable	
Plastic	Applicable	Applicable
Rubber	Applicable	Applicable

Note:

The polyurethane suction strips are highly resistant to wear and oil. They are ideal for oily floors, but are not suitable for concrete, brick or tiled floors.

Technical Specifications

1	Model		NR810
2	Cleaning diameter (brush diameter)	mm	810
3	Width of floor inlet	mm	2x410
4	Product tank capacity	L	120
5	Recovery tank capacity	L	120
6	Cleaning capacity (surface area/time)	m ² /h	4860
7	Continuous operating time	h	4~5
8	Brush pressure	kg	45
9	Nominal motor power	W	2x380
10	Nominal power of suction motor	W	600
11	Nominal drive motor power	W	650
12	Travel speed	km/h	0~6.5
13	Noise level dB	A	68±3
14	Battery		24V (2×6V/200Ah)
14	Battery weight	kg	4x33.7
15	Net weight (without battery)	kg	330
16	Product dimensions (LxWxH)	mm	1415×600×1010





NOBLELIFT



Official masterdealer

Tramag B.V.

Harsweg 21

2461 EZ Ter Aar

Tel: +31 172 42 42 29

Email: info@tramag.nl

www.tramag.nl



[Tramag site](http://www.tramag.nl)